

PNEUMATIC NAILERS, STAPLERS AND AIR TOOLS



PRODUCT CATALOG 2023



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

TABLE OF CONTENT

CONTENT	Page #
Micro Pin Nailers	4 - 6
Brad Nailers	7
Upholstery Staplers	8 - 9
Electric Staplers / Nailers	10 - 11
Manual Hand Staple Gun	12
Fine Wire T50 Stapler	13
Narrow Crown Stapler	14
Medium Crown Stapler	15
Wide Crown Stapler	16
Finish Nailer	17
Framing Nailers	18 - 21
Coil Nailers	22 - 23
Concrete "T" Nailer	24
Corrugated Fastener / Stapler	25
Professional Punch Nailer / Nail Remover	26
Palm Nailers	27 - 28
Air Impact Wrench / Air Scaler	29
Air Sander / Air Grinder	30 - 32
HVLP Spray Guns	33
Fasteners (T-Nails, Corrugated Fasteners, Staples, Micro Pins)	34 - 35
Air Tool Oil / Compressor Oil	36 - 37
Accessories & Fittings	38 - 42

Model # P625

ADJUSTABLE EXHAUST



UNIQUE SERIAL NUMBER



LOW LOAD INDICATOR



RUBBER BUMPER TO PROTECT WORK SURFACE




SHANK DIA: 0.025"



Nail type: 23 Gauge
Micro Pin Nails similar
to Senco® & Porter Cable®

23 GAUGE 1" HEADLESS MICRO PIN NAILER

The Air Locker 1/2 to 1 Inch 23 Gauge Pin Nailer takes care of all of your finishing projects, such as crown molding and other molding jobs, and does it quickly and efficiently. It fires the 23-gauge micro pin nails from the 150 pin bottom load magazine. This pin nailer has bottom loading and fastener length adjustment guide with multiple settings. The rubber comfort grip ensures hours of easy operation.



FEATURES

- Heat treated hardened tool steel nail driver
- Bottom loading magazine
- Manually adjusts for fastener lengths between 1/2" to 1"
- Adjustable exhaust to keep oil and condensation away from work
- No Safety - Free Firing

SPECIFICATION

- Pin length: 1/2" - 1"
- Magazine capacity: 150 Pins
- Operating Pressure: 60 - 100 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Intricate finishes
- Cabinets
- Decorative trim
- Glazing strips
- Molding
- Picture frame
- Finish work

INCLUDES

- Pin Nailer
- Corrugated Box

MICRO PIN NAILERS

23 GAUGE 1-3/8" HEADLESS MICRO PIN NAILER

The Air Locker P630A 23 gauge Pin Nailer is compact and light-weight but big on performance. It shoots all 23 gauge pin nails from 1/2 inch to 1-3/8 inch and produces a hole that is barely visible to the naked eye. It automatically adjusts to accommodate the length of the pin. The P630A 23 gauge pin nailer is ideal for intricate finish work.



FEATURES

- Heat treated hardened tool steel nail driver
- Side loading magazine
- Adjustable exhaust to keep oil and condensation away from work
- Automatically adjusts for fastener lengths between 1/2" to 1-3/8"
- Narrow nose reaches tight areas and corners for detailed trim work
- Nose has a magnet to keep pins straight & stable during firing

SPECIFICATION

- Pin length: 1/2" - 1-3/8"
- Magazine capacity: 200 Pins
- Operating Pressure: 60 - 100 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Intricate finishes
- Cabinets
- Decorative trim
- Glazing strips
- Molding
- Picture frame
- Finish work

INCLUDES

- Pin Nailer
- Corrugated Box
- Operating Manual
- Oil Bottle
- Allen Wrench

Model # P630A

ADJUSTABLE EXHAUST




ANTI SCRATCH BODY BUMPER



SAFETY WITH NO-MAR TIP



SHANK DIA: 0.025"



Nail type: 23 Gauge Micro Pin Nails similar to Senco® & Porter Cable®

Model # P635

ADJUSTABLE EXHAUST




ANTI SCRATCH BODY BUMPER



SAFETY WITH NO-MAR TIP



SHANK DIA: 0.025"



Nail type: 23 Gauge
Micro Pin Nails similar
to Senco® & Porter Cable®

23 GAUGE 1-3/8" HEADLESS MICRO PIN NAILER

The Air Locker P635 23 gauge Pin Nailer is compact and light-weight but big on performance. It shoots all 23 gauge pin nails from 1/2 inch to 1-3/8 inch and produces a hole that is barely visible to the naked eye. It automatically adjusts to accommodate the length of the pin. The P635 23 gauge pin nailer is ideal for intricate finish work.



FEATURES

- Heat treated hardened tool steel nail driver
- Side loading magazine
- Adjustable exhaust to keep oil and condensation away from work
- Automatically adjusts for fastener lengths between 1/2" to 1-3/8"
- Narrow nose reaches tight areas and corners for detailed trim work
- Nose has a magnet to keep pins straight & stable during firing

SPECIFICATION

- Pin length: 1/2" - 1-3/8"
- Magazine capacity: 200 Pins
- Operating Pressure: 60 - 100 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Intricate finishes
- Cabinets
- Decorative trim
- Glazing strips
- Molding
- Picture frame
- Finish work

INCLUDES

- Pin Nailer
- Corrugated Box
- Operating Manual
- Oil Bottle
- Allen Wrench

BRAD NAILER

18 GAUGE 2" BRAD NAILER

The Air Locker B630A 5/8 to 2 inch 18 gauge Brad Nailer comes with tool-free depth adjustment assists for easily locating the ideal depth setting. Features include a side low-nail indicator window to quickly and easily see when it's time to reload, and an over molded no-mar pad. It also has a Tool-free jam clearing feature that eliminates down-time caused from bent nails that are caught in the nosepiece.



FEATURES

- A Tool-free jam clearing feature eliminates down-time caused from bent nails that are caught in the nosepiece
- No-Mar tip to protect work surface
- Automatically adjusts for fasteners length between 5/8" - 2"
- Nose Safety to prevent accidental firing of tool with single sequential firing feature

SPECIFICATION

- Nail length: 5/8" - 2"
- Magazine Capacity: 110 Brads
- Operating Pressure: 70 - 110 PSI
- Air-Inlet: 1/4" NPT

APPLICATIONS

- Decoration
- Furniture
- Picture Frame
- Molding
- Finish Work

INCLUDES

- Brad Nailer
- Cardboard Box
- Oil
- Hex key

Model # B630A

ADJUSTABLE EXHAUST



UNIQUE SERIAL NUMBER




DISPLAY WINDOW SHOWING MAGAZINE OUT OF NAILS



NO-MAR TIP



Gauge: 18 Head: 0.08"
WxT: 0.05" x 0.041"



Model # U630A

ADJUSTABLE EXHAUST



UNIQUE SERIAL NUMBER



PLASTIC BUMPER TO PROTECT WORK SURFACE



22 GAUGE UPHOLSTERY STAPLER

The Air Locker U630A 1/4 to 5/8 Inch, 22 gauge C-Crown Upholstery Stapler is an easy to use pneumatic stapler with plenty of useful features. It uses standard Senco® C Type 22 gauge, 3/8 inch crown staples to get the job done right. The high-capacity bottom-load magazine handles 200 staples and the driver guide moves back to clear jams from the magazine.



FEATURES

- Automatically adjusts for fastener lengths between 1/4" - 5/8"
- Bottom loading magazine
- Heat treated hardened tool-steel nail driver
- Adjustable exhaust to keep oil condensation away from work
- No safety - Free firing

SPECIFICATION

- Staple Length: 1/4" - 5/8"
- Magazine Capacity: 200 Staples
- Operating Pressure: 60 to 100 PSI
- Air Inlet: 1/4" NPT


APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frame
- Roof Felt
- Upholstery
- Trim

INCLUDES

- Stapler
- Corrugated Box
- Oil
- Hex key

"C" type 3/8" Crown
WxT : 0.03" x 0.022"



Staple Type: 22 Gauge, 3/8" Crown C-type Staples similar to Senco® & Porter Cable®

UPHOLSTERY STAPLERS

22 GAUGE LONG NOSE UPHOLSTERY STAPLER

It uses 22 gauge type C upholstery staples. U630L2 automatically adjusts for fastener lengths between 1/2", 1/4", 3/8" and 5/8". This nailer is made of light weight die cast aluminum body with a bottom loading magazine and has a rubber grip handle with adjustable exhaust to keep oil condensation away from work. It also features a long nose for reaching & stapling the inaccessible areas with a standard nose.



FEATURES

- Light weight die cast Aluminum alloy body
- Soft grip handle reduces fatigue
- Small and light weight for ease of operation
- Adjustable exhaust to keep oil condensation away from work
- 1-3/4" Long nose to access hard to reach areas and corners
- No safety - Free firing

SPECIFICATION

- Staple Length: 1/4" - 5/8"
- Magazine Capacity: 200 Staples
- Operating Pressure: 60 to 100 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frames
- Roof Felt
- Trim
- Upholstery

INCLUDES

- Long Nose Stapler
- Oil
- Corrugated Box
- Operating manual

Model # U630L2

ADJUSTABLE EXHAUST




1-5/8" LONG NOSE



MAGAZINE RELEASE LATCH



"C" type 3/8" Crown
WxT: 0.03"x 0.022"



Fastener Type: 22 Gauge, 3/8" Crown C-type Staples similar to Senco® & Porter Cable®

Model # U630E

SIGHT GLASS SHOWING
OUT OF NAILS



CONTACT SAFETY
MECHANISM




QUICK RELEASE
LATCH FOR MAGAZINE
DISASSEMBLY



18 Gauge Brad



3/8" 'C' type Crown Staple
W X T: 0.03" x 0.02"



ELECTRIC UPHOLSTERY STAPLER / NAILER

U630E by Air Locker is an electric upholstery stapler and nailer in one sturdy tool. This professional electric upholstery stapler / nailer shoots 3/8" crown Senco® and Porter Cable® upholstery staples "C" type & 18 gauge (3/8" to 5/8") brad nails and also features bottom loading magazine.



FEATURES

- Quick release bottom loading magazine for easy loading
- Contact safety mechanism to prevent accidental firing
- Comfortable rubber hand grip and an 8-Foot power cord
- The gun is powerful enough for driving brads or pin into wood and other hard surfaces

SPECIFICATION

- Input Voltage: 110V
- Operating Frequency: 60 HZ
- Magazine Capacity: 100 Nails / 165 Staples

APPLICATIONS

- Crafts
- Picture Framing
- Tacking
- Upholstery
- Repair Work

INCLUDES

- Electric Upholstery Stapler / Nailer
- Corrugated Box

ELECTRIC STAPLERS/NAILERS

ELECTRIC STAPLER 'T50' / NAILER 18 GAUGE BRADS

Air Locker KA641 Electric Staple / Brad Nail Gun uses T50 staples & 18 gauge brads. Also features safety contact mechanism, comfortable rubber grip, easy bottom load magazine & visual nail window.



FEATURES

- A combo tool for driving both 18 Ga brads and 20 Ga 3/8" crown T50 staples
- Flush-nose design solves the problem of stapling in tight spots
- Contoured grip for extra comfort
- Anti-jam mechanism saves time on the job
- Nose safety to prevent accidental firing of tool with single sequential firing feature

SPECIFICATION

- Voltage: 110V, frequency 60 Hz
- Maximum firing Speed: 20 Nails / Staples per min
- Magazine Capacity: 100 Nails / Staples

APPLICATIONS


- Crafts
- Picture Framing
- Tacking
- Upholstery
- Repair work

INCLUDES

- Electric Stapler / Nailer
- Blow Molded Case

Model # KA641

CONTACT SAFETY MECHANISM




ON/OFF SWITCH



QUICK RELEASE LATCH




18 Gauge Brad



20 Gauge 3/8" Crown T50 Staple

W X T: 0.05" x 0.02"



Model # M641

ADJUSTABLE POWER SETTING



SAFETY LEVER




FASTENER VIEW WINDOW



18 Gauge Brad



18 Gauge 3/8" Crown T50 Staple W X T: 6-14mm



MANUAL HAND STAPLE GUN

Air Locker M641 Manual Staple Gun features multi-functional mechanism, great for hard to reach areas, convenient bottom loading, supports both 18 gauge nails and T50 staples. Safety-lock will not allow direct shooting. Quick bottom load magazine to get back to work faster. Light weight Aluminum body for easy use. Perfect for everyday stapling needs around home or office. Low strike handle to reduce fatigue and an impact buffer to reduce shock & kick.



FEATURES

- Convenient bottom loading for quick & easy reloading
- Shoots both 18 gauge nails & T50 staples
- Press handle out of working surface to lock the nailer.
- Great for hard to reach places and flooring surface.

SPECIFICATION

- Max Magazine capacity: Holds up to 80 nails / staples
- Max Length of Nails / Pins: 5/8" long 18 Gauge Brad Nail / Pin
- Length of Staples: 1/4" - 9/16" long T50 staple

APPLICATIONS

- Insulation
- Woodworking
- General Repairs
- Screening
- House Wrap
- Tar Paper
- Upholstery
- Canvas
- Decoration

INCLUDES

- Stapler
- Corrugated Box
- Operating Manual

FINE WIRE T50 STAPLER

20 GAUGE, 5/8" LONG, 3/8" CROWN, T50 FINE WIRE STAPLER

The Air Locker U641 20 gauge, 3/8" crown, T50 Fine Wire Stapler is an easy to use pneumatic stapler with plenty of useful features. It uses standard 20 gauge, 3/8" crown, T50 staples to get the job done right. The high-capacity bottom-load magazine handles 100 staples.



FEATURES

- Adjustable exhaust to keep oil condensation away from work
- Soft grip handle reduces fatigue
- Contact safety mode provides additional safety to operator
- Nose Safety to prevent accidental firing of tool with single sequential firing feature

SPECIFICATION

- Staple Length: Upto 5/8"
- Magazine Capacity: 100
- Staples Operating Pressure: 60 to 100 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frame
- Roof Felt
- Upholstery
- Trim

INCLUDES

- T50 Stapler
- Corrugated Box
- Operating manual

Model # U641

ADJUSTABLE EXHAUST




SAFETY WITH NO-MAR TIP



CONTACT SAFETY TRIGGER



20 Gauge 3/8" Crown
T50 Staple
W X T: 0.05" x 0.02"



Model # NS150A

ADJUSTABLE EXHAUST



SAFETY WITH NO-MAR TIP



SAFETY TRIGGER



18 GAUGE, 1/4" NARROW CROWN "L" WIRE STAPLER

Air Locker NS150A is a 1/4" narrow crown "L" wire stapler shoots up to 1-5/8" staples that is compatible with other brands of "L" wire staples. The key features include light weight Magnesium body, Touch-strike security system and No-mar bumper.



FEATURES

- 360° adjustable exhaust channels air and dust away from user
- No-mar tip to protect work surface
- Strong and light weight die-cast Magnesium body
- Rugged back side magazine
- Contact safety mode provides additional safety to operator

SPECIFICATION

- Staple Length: Up to 1-5/8"
- Magazine Capacity: 100 Staples
- Operating Pressure: 60 to 120 PSI
- Air Inlet: 1/4" NPT


APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frames
- Roof Felt
- Trim
- Upholstery

INCLUDES

- Narrow Crown Stapler
- Oil
- Corrugated Box
- Operating manual

Type "L" Wire
WxT: 0.05" x 0.041"



Fastener type: 18 Gauge,
"L" wire compatible to
Senco® & Bostitch®
"L" Wire Staples

MEDIUM CROWN STAPLER

16 GAUGE, 2" LONG, 7/16" MEDIUM CROWN "N" WIRE STAPLER

Air Locker MS200A allows user to shoot up to 2 inch "N" Wire 7/16" medium crown staples which are compatible to Senco® and Bostitch® Staples. The dual trigger mechanism (sequential and contact) gives user more flexibility to operate the tool.



FEATURES

- 360° adjustable exhaust channels air and dust away from user
- Quick-release nosepiece for fast clearing of jams
- Ergonomically designed handle reduces fatigue for operator
- Body rubber bumper for protection of tools
- Sequential firing or bump mode firing feature

SPECIFICATION

- Staple Length: Up to 2"
- Magazine Capacity: 150 Staples
- Operating Pressure: 70 to 120 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frame
- Roof Felt
- Upholstery
- Trim

INCLUDES

- Medium Crown Stapler
- Oil
- Corrugated Box
- Operating manual

Model # MS200A

ADJUSTABLE EXHAUST




ANTI SCRATCH BODY BUMPER



TOOL LESS DESIGN FOR EASY REMOVAL OF JAMMED NAILS



SEQUENTIAL / BUMP MODE TRIGGER



Fastener Type: 16 Gauge
compatible to
Senco® Bostitch® type "N" wire

Model # N5025

360° ROTARY EXHAUST DEFLECTOR




SAFETY NOSE



Compatible with Paslode 15/16" stapler model S200-W16, 3150-W16, 3150-W16R, MA-W16R or MU-112-W 16R and Hitachi® 15/16" stapler model no N5021A.

Staples model numbers, Hitachi® 11401, 11403, 11404, 11406, Paslode® 404068, 404070, 650098, 403471, Senco® M004076, M004081, Air Locker® P25-30, P25-50

15/16" Wide Crown Staple
W X T: 0.06" x 0.05"



Staple Type: 16 Gauge, 15/16" Crown Staples similar to Hitachi®, Senco® and Paslode®

16 GAUGE 15/16" WIDE CROWN HEAVY DUTY STAPLER

Air Locker N5025 Insulation Sheathing Stapler is a versatile design gun that drives staples up to 2" in length for a variety of uses. Great for house wrap, insulation, wire lath and sheathing. Soft grip handle for on the job comfort.



FEATURES

- ▶ Heat treated hardened driver
- ▶ Single actuation mode trigger
- ▶ Bigger air cabinet inside the body makes the tool more powerful
- ▶ Top loading system makes fastener loading easier
- ▶ Lightweight and well-balanced stapler reduces operator fatigue and increases productivity

SPECIFICATION

- ▶ Staple Length: 3/4" - 2"
- ▶ Magazine Capacity: 150 Staples
- ▶ Operating Pressure: 60 - 120 PSI
- ▶ Air Inlet: 1/4" NPT

APPLICATIONS

- House Wrap
- Insulation
- Wire Lath
- Sheathing
- Fencing
- Crate Making

INCLUDES

- Wide Crown Heavy Duty Stapler
- Oil
- Hex Key
- Corrugated Box
- Operating Manual

FINISH NAILER

2-1/2" LONG, 15 GAUGE, 34° FINISH NAILER

This nailer features a padded handle, extruded Aluminum magazine, directional exhaust, a drive depth adjustment, and it weighs only 4.2 pounds. A selective trigger means no more wasteful double fires and a tool-less drive depth feature.



FEATURES

- Tool-less design for easy removal of jammed nails
- Adjustment, to countersink or flush drive nails
- Lightweight and well balanced for easy maneuverability
- Automatically adjusts fastener length between 1-1/4" to 2-1/2"
- Selective actuation (ANSI compliant) allows transition from single sequential to bump mode

SPECIFICATION

- Nail length: 1-1/4" - 2-1/2"
- Magazine Capacity: 100 Nails
- Operating Pressure: 70-110 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Bedding
- Cabinets
- Chair Rail
- Decorative Trim
- Furniture
- Molding
- Panelling
- Upholstery

INCLUDES

- Finish Nailer
- Corrugated Box
- Hex Key
- Oil

Model # NT65A2

ADJUSTABLE EXHAUST



EXTRUDED ALUMINUM MAGAZINE




TRIGGER



TOOL-LESS DESIGN FOR EASY REMOVAL OF JAMMED NAILS



15 Gauge
Dia: 0.072"
Head: 0.126"



Model # AL83A

FIXED EXHAUST DEFLECTOR




DEPTH ADJUSTMENT



SAFETY TRIGGER



10 - 11 Gauge
Shank dia: 0.11" - 0.16"



FULL ROUND HEAD 3-1/4" FRAMING NAILER - STEEL MAGAZINE

This full-head construction nailer is an excellent tool for floor and wall framing and general heavy-duty construction, including subflooring, sheathing and heavy fence building. This versatile tool is well-balanced and lightweight for one-handed, fatigue-free operation. It comes with a nose safety to prevent accidental firing and a dual mode trigger: Single sequential firing or bump mode firing.



FEATURES

- ▶ Steel magazine shoots 3-1/4" long nails
- ▶ Hardened aggressive toenail push lever, resists wear for prolonged life
- ▶ Driver, Bumper, Magazine & Cylinder interchangeable with Hitachi NR83A parts
- ▶ Nose safety to prevent accidental firing of tool with single sequential firing and bump mode firing features

SPECIFICATION

- ▶ Nail length: 2" - 3-1/4"
- ▶ Magazine Capacity: 70 Nails
- ▶ Operating Pressure: 70 to 110 PSI
- ▶ Air Inlet: 3/8" NPT

APPLICATIONS

- Decking
- Sheathing
- Furring
- Packaging
- Pallets
- Fences
- Siding
- Crating
- Roofing
- Framing

INCLUDES

- Framing Nailer
- Corrugated Box
- Oil
- Hex key
- Operating Manual

FULL ROUND HEAD FRAMING NAILER 3-1/4" WITHOUT DEPTH ADJUSTMENT

Full Head Framing Nailer shoots upto 3-1/4" long nails. This nailer is compatible with the original Hitachi NR83A framing nailer, so most nailer parts are interchangeable with Hitachi nailer.



FEATURES

- All major parts are interchangeable with Hitachi NR83A Nailer
- Open nose design, for easy extraction of a jammed nail
- Rubber grip, for added comfort
- Hardened aggressive toenail push lever, resists wear for prolonged life

SPECIFICATION

- Fastener Length Capacity: 2" - 3-1/4"
- Fastener Diameter Range: 0.11" to 0.16"
- Magazine Angle: 21 Degrees
- Magazine Capacity: 70 Nails
- Magazine Loading: Top
- Air Inlet: 3/8"
- Operating Pressure: 70-110 PSI

APPLICATIONS

- Decking
- Sheating
- Furring
- Packaging
- Pallets
- Fences
- Siding
- Crating
- Roofing
- More Info / Prop 65

INCLUDES

- Full Head Framing Nailer
- Oil,
- Hex Key
- Operating manual
- Cardboard box

Model # AL83

FIXED EXHAUST DEFLECTOR



SAFETY TRIGGER




STEEL MAGAZINE



NO DEPTH ADJUSTMENT



10 - 11 Gauge
Shank dia: 0.11" - 0.16"



Model # AL83-2

FIXED EXHAUST DEFLECTOR



ALUMINUM MAGAZINE




NO DEPTH ADJUSTMENT



COMFORTABLE GRIP



10 - 11 Gauge
Shank dia: 0.11" - 0.16"



FULL ROUND HEAD FRAMING NAILER 3-1/2" ALUMINUM MAGAZINE WITHOUT DEPTH ADJUSTMENT

It comes with an Aluminum magazine that allows to shoot up to 3-1/2" long nails. This nailer is compatible with the Hitachi NR83A framing nailer so all nailer parts are interchangeable with the Hitachi nailer. This full-head construction nailer is an excellent tool for floor and wall framing and general heavy-duty construction. This versatile tool is well-balanced and lightweight for one-handed, fatigue-free operation, which makes it extremely consumer friendly.



FEATURES

- ▶ Lightweight and well balanced for easy maneuverability
- ▶ Open nose design, for easy extraction of a jammed nail
- ▶ Comfortable rubber grip
- ▶ Aluminum magazine shoots 3-1/2" long nails

SPECIFICATION

- ▶ Fastener Length Capacity: 2" - 3-1/2"
- ▶ Fastener Diameter Range: 0.11" to 0.16"
- ▶ Magazine Angle: 21 Degrees
- ▶ Magazine Capacity: 70 Nails
- ▶ Magazine Loading: Top
- ▶ Air Inlet: 3/8"
- ▶ Operating Pressure: 70-110 PSI
- ▶ Jam Clearing: Open Nose
- ▶ Actuation: Selective (Sequential/Bump Fire)

APPLICATIONS

- Framing
- Decking
- Packaging
- Pallets
- Fences
- Roofing

INCLUDES

- Full Head Framing Nailer
- Oil
- Hex Key
- Operating Manual

FRAMING NAILERS

FULL ROUND HEAD 3-1/2" FRAMING NAILER - ALUMINUM MAGAZINE

Air Locker AL83A2 Full Head Framing Nailer shoots 3-1/2" longer nails from its light weight, well balanced & sturdy Aluminum Magazine. It comes with a nose safety to prevent accidental firing and it also has a dual mode trigger: Single sequential firing mode or bump mode.



FEATURES

- Aluminum magazine shoots 3-1/2" long nails
- Hardened aggressive toenail push lever, resists wear for prolonged life
- Driver, Bumper, Magazine & Cylinder interchangeable with Hitachi NR83A parts
- Nose Safety to prevent accidental firing of tool with single sequential firing and bump mode firing features

SPECIFICATION

- Nail length: 2" - 3-1/2"
- Magazine Capacity: 70
- Operating Pressure 70 - 110 PSI
- Air Inlet: 3/8" NPT
- Weight: 8.5 lbs
- Tool dimensions(LxWxH): 0.8" x 4.25" x 13.4"

APPLICATIONS

- Decking
- Sheathing
- Furring
- Packaging
- Pallets
- Fences
- Siding
- Crating
- Roofing

INCLUDES

- Framing Nailer
- Cardboard Box
- Oil
- Hex key
- Operating Manual

Model # AL83A2

FIXED EXHAUST DEFLECTOR




ALUMINUM MAGAZINE



DEPTH ADJUSTMENT



10 - 11 Gauge
Shank dia: 0.11" - 0.16"



Model # RN45AB2

TOOL-LESS DEPTH OF DRIVE ADJUSTMENT




SELECTIVE ACTUATION



TOOL-FREE SHINGLE GUIDE ADJUSTMENT



11 Gauge
Dia: 0.120"



11 GAUGE 3/4" - 1-3/4" COIL ROOFING NAILER

Pneumatic nail feed mechanism powers both the nail advance and return for consistent operation even in the toughest conditions. Constructed with all aluminum components for durability. Tool-less depth of drive dial can be adjusted on the spot to meet the application for ultimate convenience. Ergonomic design and exceptional tool balance not only reduces user fatigue and repetitive injuries, but also provides more control during use.



FEATURES

- ▶ Tool-less depth of drive adjustment, for precision nailing/flush driving
- ▶ Rubber pads, help keep nailer from sliding off roof when not in use
- ▶ Rubber safety valve cover, resists dirt and tar for prolonged life of tool
- ▶ Selective actuation (ANSI compliant) allows transition from single sequential to bump actuation

SPECIFICATION

- ▶ Nail length: 3/4" - 1-3/4", wire collation
- ▶ Magazine Capacity: 120 Nails
- ▶ Operating Pressure: 80-110 PSI
- ▶ Air Inlet: 1/4" NPT

APPLICATIONS

- Decking
- Sheathing
- Furring
- Packaging
- Pallets
- Fences
- Siding
- Crating
- Roofing

INCLUDES

- Coil Roofing Nailer
- Hex Key
- Corrugated Box

COIL NAILERS

INDUSTRIAL COIL NAILER 2-1/4"

Industrial Coil Nailer shoots up to 2-1/4" long nails. Features a comfortable rubber grip for easy use and has a strong and light weight magnesium body.



FEATURES

- ▶ Strong and light weight magnesium body
- ▶ Both Single Firing and bump firing modes available
- ▶ Steel contact safety with dual carbide inserts for less wear
- ▶ Delivers the power to consistently drive nails in the toughest applications

SPECIFICATION

- ▶ Flat wire welded coil nails
- ▶ 15 degree Coil
- ▶ Fastner Length Capacity: 1" - 2-1/4"
- ▶ Shank Diameter: 0.083" - 0.092"
- ▶ Head Diameter: 0.197" - 0.224"
- ▶ Nail Capacity: 225-300

APPLICATIONS

- Decking
- Underlayment
- Wall Sheathing
- Framing
- Furring Strips

Model # CN55A2

ADJUSTABLE EXHAUST




BUMPER TO PROTECT SURFACE OF TOOL



PLASTIC DRUM



10 - 11 Gauge
Shank dia: 0.11" - 0.16"



Model # CN64A3


ADJUSTABLE EXHAUST



DUAL MODE SEQUENTIAL AND CONTACT FIRE TRIGGER



QUICK-RELEASE NOSEPIECE



14 GAUGE 2-1/2" CONCRETE 'T' NAILER

This T-Nailer is excellent for wood to concrete/steel applications. A lightweight die-cast housing maximizes productivity by reducing operator fatigue. The CN64A3 also features an adjustable exhaust, quick release nose for easy jam clearing, and safety to prevent accidental firing. Applications include furring strips, plywood to concrete nailing, wire lath installation, steel banding, decking, fencing, sub flooring, and more.



FEATURES

- Soft grip handle reduces fatigue
- Touch-strike security system is safe for the operator
- Dual mode trigger either sequential or contact fire
- Quick-release nosepiece for fast clearing of jams
- Rubber bumper can protect the surface of the gun

SPECIFICATION

- Magazine Capacity: 100
- Operating Pressure: 80-100 PSI
- Air Inlet: 1/4"
- Fastener Size: 14 Gauge - 0.087"
- Diameter Fastener Type: T- Nails
- Fastener Length: 5/8" - 2-1/2" Long Nails

APPLICATIONS

- Wood to concrete floor
- Steel band to wood
- Wire lath to masonry & light gauge
- Steel to drywall
- Ideal for decking & subflooring
- Track to concrete

INCLUDES

- Concrete Nailer
- Oil
- Corrugated Box
- Operating Manual

CORRUGATED FASTENER/STAPLER

25 GAUGE "W" STYLE CORRUGATED FASTENER / STAPLER

A well balanced tool which satisfies a multitude of fastening requirements when using Air locker W type corrugated fasteners. This tool is the perfect solution when fastening butt and corner joints, for hard & dense materials. Corrugated fasteners offer twice the strength of regular fasteners.



FEATURES

- Heavy-duty light weight Aluminum body
- Eliminates gluing, milling, clamping, screwing, and other time consuming costly operations
- Added strength for larger butt joints
- Bottom loading system
- Nose Safety to prevent accidental firing of tool with single sequential firing feature

SPECIFICATION

- Staple Length: 3/8" - 5/8"
- Magazine Capacity: 100 Staples
- Operating Pressure: 80-110 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Box Assembly
- Butt-Joints
- Cabinets
- Crating
- Pallets
- Picture Frames
- Trusses

INCLUDES

- Corrugated Stapler
- Corrugated Box
- Operating Manual

Model # CS80A2


ADJUSTABLE EXHAUST



SINGLE SEQUENTIAL FIRING MODE TRIGGER



QUICK RELEASE LATCH



25 Gauge 'W' style
Staple similar
to Senco® & Bostitch®

Model # AP700

ADJUSTABLE EXHAUST




COMFORTABLE RUBBER GRIP



REMOVING NAILS



PUNCHING/SINKING NAILS



NAIL PUNCHER / NAIL REMOVER

Air Locker AP700 Air Punch Nailer has all the features necessary. Powerful and well-balanced for easy maneuverability. Also, the comfortable rubber grip increases the feel of this air tool.



FEATURES

- Powerful and durable for continuous use
- Its Rubber Comfort Grip reduces operator's fatigue
- Punch / Remove or Sink nails between 10-20 gauge sizes
- Light weight die cast Aluminum body

SPECIFICATION

- Punch / Sink Nail: 10 - 20 gauge
- Nail Punching Range: Ø0.06" to Ø0.160"
- Operating Pressure: 80-120 PSI
- Air Inlet: 1/4" NPT

APPLICATIONS

- Removing Nails
- Punching / Sinking Nails

INCLUDES

- Nailer
- Corrugated Box
- Operating Manual

Note: Piston Driver extends 0.4" Past Nose.

PALM NAILERS

COMPACT PALM NAILER

Air Locker APN50 is a versatile pneumatic mini palm nailer with a comfortable design and magnetic tip. Our Mini Palm Nailer fits into tight spaces where a full-sized palm nailer can't. It drives up to a 3-1/2 inch 16D nail without creating hammer marks, and it features a magnetic nose to hold the nail in place, so you get accurate placement every time.



RUBBER GRIP



MAGNETIC NOSE



AIR EXHAUST



FEATURES

- Drives most common bulk Finish, Framing & Timber Nails
- Compact, yet powerful enough to drive 3-1/2" fasteners
- Weighs only 1lbs. 50% lighter than other hand nailers
- Magnetic sleeve holds nail in place
- Durable hardened steel nose
- Swivel fitting to keep hose to pivot freely

SPECIFICATION


- Operating Pressure: 80 - 100 PSI
- Air Inlet: 1/4" NPT
- Drives: 1-1/2" - 3-1/2" Bulk Nails
- Fastener Head Diameter: $\leq 0.344"$
- Fastener Length: 1-1/2" - 3-1/2"

APPLICATIONS

- Joist Hangers
- Framing
- Fencing
- Decking

INCLUDES

- Palm Nailer
- Swivel Fitting
- Corrugated Box
- Operating Manual



Length: 1-1/2" - 3-1/2"
Diameter of nail: 0.10" - 0.162"
Diameter of head: 0.35"

Model # APN900

MAGNETIC NOSE



FRONT EXHAUST



LEATHER POUCH



HEAVY DUTY FULL SIZE PALM NAILER

Heavy Duty Full Size Palm Nailer shoots up to 4-3/4" long nails. Also features magnetic nose and a light weight and durable aluminum-alloy body.



FEATURES

- ▶ Light weight and durable aluminum-alloy body
- ▶ Drives most common nails up to 4-3/4" long
- ▶ Magnetic tip keeps nails in place
- ▶ Durable hardened steel nose
- ▶ Ergonomic design for comfort; comes with a leather Pouch

SPECIFICATION


- ▶ Operating Pressure: 70 - 100 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Fastener Length: 4-3/4"
- ▶ Fastener Head Diameter: 0.4"

APPLICATIONS

- Joist Hangers
- Framing
- Fencing
- Decking
- Flooring
- Roofing
- Use for tight corners
- Toe Nailing

INCLUDES

- Cardboard Box



Length: 1-1/2" - 3-1/2"
Diameter of nail: 0.10" - 0.162"
Diameter of head: 0.35"

AIR IMPACT WRENCH / AIR SCALER

COMPACT AIR NEEDLE SCALER

Compact Air Needle Scaler - Attach this air needle scaler to your compressor air line and watch as 12 hardened steel needles vigorously vibrate to easily remove weld flux, rust, scale, paint, cement and other residues from hard, durable and irregular surfaces. The needle scaler is constructed of carbon steel and is a great tool for cleaning off parts, tools, equipment and more. Do not use this air needle scaler on soft surfaces that are easily damaged. A great tool for welders, automotive specialists, do-it-yourselfers and hobbyists.

FEATURES

- Average air consumption: 4 CFM @ 90 PSI
- Blows per minute (BPM): 4000
- Needle material: Steel
- Number of needles: 12
- Operating Pressure (PSI): 90
- Air inlet size: 1/4" NPT
- Needle length: 4"
- Product Length: 12"
- Stroke length: 1/4"

MODEL# AT107N



16PCS 1/2 INCH AIR IMPACT WRENCH KIT INCLUDES SOCKETS EXTENSION WITH CASE

With a reliable single hammer mechanism, you can count on this Air Locker 1/2". Wrench to deliver great results. Composite housing with a contoured grip are specially designed for your comfort. Use the ergonomically designed trigger to always be in control. With the exhaust running through the handle and directed away from your hand, it ensures safety coupled with internal silencing to reduce noise levels. A Great Addition to any home air compressor tool set.

FEATURES

- Sleek, compact, light weight design, which minimizes stress on your wrist & hands.
- Strong, durable metal alloy product shell increase wear-resistance and tool lifespan.
- Large torque output with multi gear torque & speed adjustment.
- Exhaust discharge from rear.

MODEL# IR002A



SPECIFICATIONS

- Air Pressure: 90 PSI
- Air Consumption: 5 cfm
- Square Drive: 1/2"
- Bolt Size: 9/16" (14mm)
- Max Speed: 7000 RPM
- Air Inlet: 1/4" NPT
- Air Hose: 3/8" I.D.
- Max Torque: 230ft-lb (312Nm)

INCLUDES

- 1/2" Air Impact Wrench
- 10pcs Impact Sockets: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm
- 5" Long 1/2" Socket Drive Extension Bar
- 1/4" NPT Male Industrial Plug
- 4mm Hex Key
- 1/4" NPT Lubricator
- Oil Bottle
- Blow Molded Case

AIR SANDER / AIR GRINDER

INLINE / STRAIGHT LINE AIR SANDER

Powerful air sander can quickly and efficiently sand. The dual pistons on this tool create up to 2,500 strokes per minute to get the job done quickly. Features include tensioned spring clamps to change out sanding paper with ease. It is shaped to fit your hand perfectly and the lever throttle takes pressure off your palm. You get the power and precision you need so you can do your best, most sophisticated work.

FEATURES

- Dual piston creates up to 2500 strokes per minute
- 1" stroke smoothens large areas quickly
- Tensioned spring clamps for easy sand paper changes
- 2-3/4" x 15-3/4" pad
- 2,500 reciprocating strokes per minute
- Two handle design for vibration operation
- Smooth, reliable power
- Quick action paper clamps

MODEL# AT100S



2 INCH 90° AIR ANGLE SANDER

Air Locker AG002 2" 90° is a compact, smooth operating and powerful angle sander. Sand in tight places with a sander that stands up to the professional with low volume air requirements (3 CFM). Easily attach the hook and loop sanding paper of your choice.

FEATURES

- Rear Exhaust
- Durable and lightweight die cast aluminum body
- Lever block trigger for safety and easy start
- 2" Hook & Loop pad included
- Ideal for standing jobs, removing rust and smoothing welds

FEATURES

- Air Pressure: 90 PSI
- Speed: 15000 RPM
- Average Air Consumption: 3 CFM
- Air Inlet 1/4" NPT requires 3/8" Hose
- Pad: 2"
- Angle: 90°
- Exhaust: Rear 360°
- Length: 7"

MODEL# AG002



AIR SANDER / AIR GRINDER

6 INCH DUAL ACTION AIR SANDER

The Air Locker 6-Inch Dual Action Air Sander gives you the power you need for any job. This air sander has a free speed of 10,000 RPM. The paper size is 6 inches. The average air consumption is 4 CFM, and the air inlet is 1/4-inch. Air Locker provides dependable, trustworthy tools that you can rely on to get the job done.

FEATURES

- Bottom Exhaust
- Durable and lightweight die cast aluminum body with soft handle grip
- Swirl-free patternless finish from its dual action pad motion
- Rotary action assures smooth and circulating sanding
- 6" Hook & Loop pad included
- Ideal for standing jobs like feather edging, metal preparation and blending body filler

FEATURES

- Air Pressure: 90 PSI
- Speed: 10000 RPM
- Average Air Consumption: 4 CFM
- Pad: 6"
- Angle: 90°
- Inlet: 1/4"
- Length: 9"

MODEL# AG006



16PCS 1/4-INCH MINI AIR DIE GRINDER KIT

16Pcs 1/4-Inch Mini Straight Air Die Grinder Kit with 10 most frequently used grinding stones is perfect for grinding, polishing, de-burring and smoothing sharp edges, engraving, and general shaping of parts.

FEATURES

- Motor operates at a powerful high free speed of 25,000 RPM for quick and efficient sanding finish
- Small, compact body weighs in under a pound for an easy one hand operation and eliminating chance of hand fatigue
- Simple touch lever flipper allows precision of the speed to apply to multiple applications such as welding, cutting, and polishing surfaces

SPECIFICATIONS

- Air Pressure: 90 PSI
- Max Speed: 25000 RPM
- Average Air Consumption: 4 CFM
- Housing Material: Die Cast Aluminum
- Angle: 90°
- Length: 4.7"
- Air Pressure: 90 PSI
- Collet: 1/8", 1/4"
- Air Inlet: 1/4" NPT requires 3/8" Hose

MODEL# DG004



INCLUDES

- 1/4" Mini Die Grinder (1)
- Hand Wrenches (2)
- 1/8" Mounted Grinding Stones (5)
- 1/4" Mounted Grinding Stones (5)
- 1/8" Collet (1)
- 1/4" NPT Male Plug (1)
- Blow Mold Case (1)

AIR SANDER / AIR GRINDER

15PCS 1/4-INCH MINI AIR PNEUMATIC ROTARY DIE GRINDER SET

Air Locker DG006 15Pcs 1/4-Inch Mini Air Pneumatic Rotary Die Grinder Set with 10 most frequently used grinding stones is perfect for grinding, polishing, de-burring and smoothing sharp edges, engraving, and general shaping of parts.

FEATURES

- Motor operates at a powerful high free speed of 25,000 RPM for quick and efficient sanding finish
- Small, compact body weighs in under a pound for an easy one hand operation and eliminating chance of hand fatigue
- Simple touch lever flipper allows precision of the speed to apply to multiple applications such as welding, cutting, and polishing surfaces

SPECIFICATIONS

- Air Pressure: 90 PSI
- Max Speed: 25000 RPM
- Housing Material: Die Cast Aluminum
- Average Air Consumption: 4 CFM
- Angle: 90°
- Length: 6.18"
- Air Pressure: 90 PSI
- Collet: 1/8", 1/4"
- Air Inlet: 1/4" NPT requires 3/8" Hose

INCLUDES

- 1/4" Mini Die Grinder with Optional Lock (1)
- Hand Wrenches (2)
- 1/8" Mounted Grinding Stones (5)
- 1/4" Mounted Grinding Stones (5)
- 1/8" Collet (1)
- 1/4" NPT Male Plug (1)
- Blow Mold Case (1)



MODEL# DG006

17PCS MICRO AIR DIE PENCIL GRINDER KIT GRINDING STONES CARRY CASE ENGRAVING SET

Pencil type micro air die grinder features free speed up to 58,000 RPM and has a self-closing lever. It's ideal for cleaning and polishing of jewelry, porting cyline heads, dies or any hobby and craft uses.

FEATURES

- High-speed rotation, can adapt to high-speed precision machining
- Small size, light weight, pen-shaped design, easy to use with one hand
- Includes 10 different styles of grinding stone bits

SPECIFICATIONS

- Max Speed: 54,000 RPM
- Collet size: 1/8" (3mm)
- Average air consumption :4 CFM
- Air Inlet size: 1/4" NPT
- Air Hose: 3/8"
- Working pressure: 90 PSI

INCLUDES

- Micro Air Grinder (1)
- Mounted Grinding Stones (10)
- Lubricator (1)
- Oil Bottle (1)
- Hand Wrenches (2)
- Female Nipple (2)
- Blow Mold Case



MODEL# M72R

HVLP SPRAY GUNS

GENERAL PURPOSE SPRAY GUN, HVLP GRAVITY FEED, 600ML / 20 FL. OZ

Air Locker R7100G is a general-purpose, gravity-feed HVLP spray gun designed to spray all light- to medium-viscosity materials, including primers, enamels, lacquers, basecoat/clear coat systems and polyurethane/urethane top coats. Controls to adjust fluid flow, air flow and spray pattern make it easy to dial in the perfect settings for great results. The 600 mL gravity-feed canister makes cleanup easier and minimizes material waste.

FEATURES

- R7100G is ideal for most automotive painting, furniture painting and equipment painting applications
- Low overspray and fine atomization; controls to adjust both fluid/air flow and spray pattern make dialing in the perfect settings easy
- 600ml gravity feed design helps with easy clean up and minimizes the waste of material left in the canister; polished aluminum housing also allows for easy clean up

FEATURES

- Nozzle Size: 1.4mm
- Feed Type: Gravity
- Average Air Consumption: 6-10 CFM @ 43 PSI
- Working Pressure: 20 - 30 PSI
- Air Inlet Size: 1/4" NPT
- Container size: 20 fl. oz. / 600ml

MODEL# R7100G



AIR LOCKER R7100S PROFESSIONAL SPRAY GUN, HVLP SIPHON FEED, 1000ML / 34 FL. OZ

Air Locker siphon-feed spray gun R7100S produces a fine finish for most furniture and equipment painting and is also perfect for customizing and restoring automobiles, trucks and motorcycles. This spray gun delivers an adjustable pattern of up to 9 inches and handles lacquer, enamel, stain, primer and urethane. The anti-drip canister helps minimize cleanup.

FEATURES

- Sprays lacquer, enamel, stain, primer, and urethane
- Siphon-feed, non-bleeder gun with adjustable pattern
- control sprays up to 9 in. pattern
- Pattern control adjusts fan size; Fluid control regulates amount of paint sprayed
- Professional Spray Gun features convenient side pattern control knob to adjust size of fan pattern from small to large
- Perfect for customizing and restoring automobiles, trucks, and motorcycles

FEATURES

- Nozzle Size: 1.4mm
- Feed Type: Suction
- Average Air Consumption: 2-4 CFM @ 29 PSI
- Working Pressure: 20 - 30 PSI
- Air Inlet Size: 1/4" NPT
- Container size: 34 fl. oz. / 1000ml


MODEL# R7100S





22 GAUGE UPHOLSTERY STAPLES

7106 1/4" Length, 10,000 pcs/pk
7110 3/8" Length, 10,000 pcs/pk
7112 1/2" Length, 10,000 pcs/pk
7116 5/8" Length, 10,000 pcs/pk



T50 STAPLES

AT50-06 T50 Staples 6mm (1/4") 1,000 pcs/pk
AT50-10 T50 Staples 10mm (3/8") 1,000 pcs/pk
AT50-12 T50 Staples 12mm (1/2") 1,000 pcs/pk
AT50-16 T50 Staples 16mm (5/8") 1,000 pcs/pk



18 GAUGE "L" WIRE CROWN STAPLES

L9010 1/4" Crown Staple "L" Wire 3/8" Long 5,000 pcs/pk
L9016 1/4" Crown Staple "L" Wire 5/8" Long 5,000 pcs/pk
L9020 1/4" Crown Staple "L" Wire 3/4" Long 5,000 pcs/pk
L9025 1/4" Crown Staple "L" Wire 1" Long 5,000 pcs/pk
L9032 1/4" Crown Staple "L" Wire 1-1/4" Long 5,000 pcs/pk
L9038 1/4" Crown Staple "L" Wire 1-1/2" Long 5,000 pcs/pk



18 GAUGE BRAD NAILS

AL-15 5/8" Length Nails, 4,500 pcs/pk
AL-20 3/4" Length Nails, 4,500 pcs/pk
AL-25 1" Length Nails, 4,500 pcs/pk
AL-30 1-1/4" Length Nails, 4,500 pcs/pk
AL-38 1-1/2" Length Nails, 4,500 pcs/pk
AL-45 1-3/4" Length Nails, 4,500 pcs/pk
AL-50 2" Length Nails, 4,500 pcs/pk



16 GAUGE 15/16" WIDE CROWN STAPLES

P25-32 1-1/4" Leg - 15/16" Wide Crown
Staples 5,000 pcs/pk
P25-50 2" Leg - 15/16" Wide Crown
Staples 5,000 pcs/pk



CORRUGATED "W" FASTENERS

CS38AL "W" Fasteners 3/8", 1,000 pcs/pk
CS12AL "W" Fasteners 1/2", 1,000 pcs/pk
CS58AL "W" Fasteners 5/8", 1,000 pcs/pk



23 GAUGE MICRO PINS

Pin-12 Pins 1/2", 2,000 pcs/pk
Pin-15 Pins 5/8", 2,000 pcs/pk
Pin-20 Pins 3/4", 2,000 pcs/pk
Pin-25 Pins 1", 2,000 pcs/pk
Pin-30 Pins 1-3/16", 2,000 pcs/pk
Pin-35 Pins 1-3/8", 2,000 pcs/pk
Pin-40 Pins 1-9/16", 2,000 pcs/pk
PP420-K Nailer Pack
(12, 15, 20, 25, 30) 1,000 pcs each



16 GAUGE "N" WIRE CROWN STAPLES

N819 7/16" Crown Staple "N" Wire 3/4" Long 10,000 pcs/pk
 N825 7/16" Crown Staple "N" Wire 1" Long 10,000 pcs/pk
 N832 7/16" Crown Staple "N" Wire 1-1/4" Long 10,000 pcs/pk
 N838 7/16" Crown Staple "N" Wire 1-1/2" Long 10,000 pcs/pk
 N845 7/16" Crown Staple "N" Wire 1-3/4" Long 10,000 pcs/pk
 N850 7/16" Crown Staple "N" Wire 2" Long 10,000 pcs/pk



14 GAUGE CONCRETE T-NAILS

CN05AL T-Nails 5/8", 1,000 pcs/pk
 CN10AL T-Nails 1", 1,000 pcs/pk
 CN15AL T-Nails 1-1/2", 1,000 pcs/pk
 CN20AL T-Nails 2", 1,000 pcs/pk
 CN25AL T-Nails 2-1/2", 1,000 pcs/pk



5412C CHISEL POINT STAPLES FITS DUO-FAST CARPET-PRO REPLACES DUO-FAST 5412C

Gauge: 20
 Length: 3/8"
 Crown: 3/16"
 Package: 5000/box
 Replaces Duo-Fast 5412C



5416C CHISEL POINT STAPLES FITS DUO-FAST CARPET-PRO REPLACES DUO-FAST 5416C

Gauge: 20
 Length: 1/2"
 Crown: 3/16"
 Package: 5000/box
 Replaces Duo-Fast 5416C



5418C CHISEL POINT STAPLES FITS DUO-FAST CARPET-PRO REPLACES DUO-FAST 5418C

Gauge: 20
 Length: 9/16"
 Crown: 3/16"
 Package: 5000/box
 Replaces Duo-Fast 5418C



C5420C CHISEL POINT STAPLES FITS DUO-FAST CARPET-PRO REPLACES DUO-FAST 5420C

Gauge: 20
 Length: 5/8"
 Crown: 3/16"
 Package: 5000/box
 Replaces Duo-Fast 5420C



R196 FINE WIRE STAPLES FOR RAPID R19 HAMMER TACKER REPLACE RAPID 23391100

Length: 1/4"
 Crown: 3/8"
 Package: 5000/box
 Replace Rapid 23391100



R198 FINE WIRE STAPLES FOR RAPID R19 HAMMER TACKER REPLACES RAPID 23391500

Length: 5/16"
 Crown: 3/8"
 Package: 5000/box
 Replaces Rapid 23391500

AIR TOOL OIL (ISO 22)

Model No.	Description
YL12-004	4 oz Flip top cap bottle Air Tool Oil (ISO 22)
YL12-008	8 oz Flip top cap bottle Air Tool Oil (ISO 22)
YL12-016	16 oz Flip top cap bottle Air Tool Oil (ISO 22)
YL12-128	128 oz (1 gallon) Plastic Gallon Jar Air Tool Oil (ISO 22)

Model No.	Description
YL12-004-12CS	4 oz Flip top cap bottle 12/Case (ISO 22)
YL12-008-12CS	8 oz Flip top cap bottle 12/Case (ISO 22)
YL12-016-12CS	16 oz Flip top cap bottle 12/Case (ISO 22)
YL12-128-4CS	128 oz (1 gallon) Plastic Gallon Jar 4/Case (ISO 22)

FLIP TOP CAP



WINTER GRADE AIR TOOL OIL

Model No.	Description
YL14LT-004	4 oz Flip top cap bottle Air Tool Oil
YL14LT-008	8 oz Flip top cap bottle Air Tool Oil
YL14LT-016	16 oz Flip top cap bottle Air Tool Oil
YL14LT-128	128 oz (1 gallon) Plastic Gallon Jar Air Tool Oil

Model No.	Description
YL14LT-004-12CS	4 oz Flip top cap bottle 12/Case
YL14LT-008-12CS	8 oz Flip top cap bottle 12/Case
YL14LT-016-12CS	16 oz Flip top cap bottle 12/Case
YL14LT-128-4CS	128 oz (1 gallon) Plastic Gallon Jar 4/Case

FLIP TOP CAP



COMPRESSOR OIL (NON-DETERGENT) (ISO 68)

Model No.	Description
YL10-016	16 oz Flat top plastic bottle Non-Detergent Compressor Oil (ISO 68)
YL10-032	32 oz / 1 Quart plastic bottle Non-Detergent Compressor Oil (ISO 68)
YL10-128	128 oz / (1 gallon) Plastic Gallon Jar Non-Detergent Compressor Oil (ISO 68)

Model No.	Description
YL10-016-12CS	16 oz Flat top plastic bottle Non-Detergent Compressor Oil 12/Case (ISO 68)
YL10-032-12CS	32 oz / 1 Quart plastic bottle Non-Detergent Compressor Oil 12/Case (ISO 68)
YL10-128-4CS	128 oz / (1 gallon) plastic gallon jar Non-Detergent Compressor Oil 4/Case (ISO 68)



PRIVATE LABEL OPTIONS FOR AIR TOOL & COMPRESSOR OIL



**PRIVATE
LABEL
AVAILABLE
MULTIPLE SIZE
BOTTLES
4OZ/8OZ/16OZ/
32OZ/128OZ**

Please Contact: sales@americangeneraltools.com

INDUSTRIAL SWIVEL PLUGS



CPHS441 1/4" Plug x 1/4" MPT
CPHS461 1/4" Plug x 3/8" MPT
CPHS641 3/8" Plug x 1/4" MPT
CPHS661 3/8" Plug x 3/8" MPT

AUTOMOTIVE SWIVEL PLUGS



CPAS441 1/4" x 1/4" MPT
CPAS461 1/4" x 3/8" MPT
CPAS641 3/8" x 1/4" MPT



FS04 Male pipe in-line
brass swivel fitting
1/4" MPT x 1/4" FPT












FS14 90° Brass swivel fitting
1/4" MPT x 1/4" FPT



FS24 Universal swivel fitting
1/4" MPT x 1/4" FPT

ACCESSORIES

	Part #	Description	Nailer / Stapler Model #
	M745	Rafter Spring Hook Universal Bracket	Skil Saw & NR83A
	M745RB	Spring Loaded Rafter Round "U" Hook - Black	NR83A, NR83A2, NR90AE Skil Worm Drive Saw
	M745W	"Wide" Version Rafter Spring Hook Universal Bracket	Skil Saw & NR83A
	M745-SH	Rafter Spring Hook for Worm Drive Saw	Skil Worm Drive Saw Skil P/N 2610913915
	M745H1	Rafter Spring Hook 1 Hole Bracket	NR83A2/NR90AE
	M745H1W	"Wide" Version Rafter Spring Hook 1 Hole Bracket	NR83A2/NR90AE
	M745H2	Rafter Spring Hook 2 Hole Bracket	NR83A

	Part #	Description	Nailer / Stapler Model #
	M745H2	Rafter Spring Hook 2 Hole Bracket	NR83A
	M745H2W	"Wide" Version Rafter Spring Hook 2 Hole Bracket	NR83A
	M750P	Spring Loaded Rafter Hook	Paslode 501347
	M760M	Spring Loaded Rafter Hook	Max KN 81035
	M765	Spring Loaded Rafter Hook	Hitachi NV75AG Max CN890F, CM565S2

Part #	Description	Nailer / Stapler Model #
--------	-------------	--------------------------



GH1	L-Hook 3/8"	--
GH2	L-Hook 1/4"	--



GH3	U-Hook Steel	NR83A/A2
-----	--------------	----------



GH4	L-Hook 1/4" & 3/8"	
-----	--------------------	--



GH5	L-Hook 1/4" (small)	
-----	---------------------	--




GH6	L-Hook 1/4" (short)	
-----	---------------------	--



GH9	L-Hook 3/8"	
-----	-------------	--



SP 889-111 L-Hook	NR83A5	
-------------------	--------	--



Part #	T	W	L1	L2
GH1	3/16"	1-1/4"	4-1/4"	5"
GH2	3/16"	1-1/4"	4-1/4"	5"
GH4	3/16"	1-1/4"	4-1/4"	4-1/4"
GH5	3/16"	1"	2-3/4"	3-3/4"
GH6	3/16"	1"	4-1/4"	2-1/2"
GH9	3/16"	1"	2-15/16"	3-3/16"
SP 889-111	3/35"	2-1/16"	4-7/8"	4-1/16"

	Part #	Description	Nailer / Stapler Model #
	FN83A	Aftermarket Donut Flush Nailer fits the Hitachi NR83A2 and NR83A2S framing nailer. Also fits the Porter Cable FR350A framer.	
	RP1082	Tool Repair Tags (perforated & numbered) 50/pk	
	TT33	1/2" x 33 ft PTFE Thread Sealing Tape	
	H838	Ballistic Polyester Nail Gun Bag	Any Framer
	H850	Heavy-Duty Nail Gun Tool Bag	Any Framer
	77Bag	Heavy-Duty Skil Saw Bag	
	987FL	SP Rechargeable LED Pocket Pen Flashlight with Magnetic Clip & Base Inspection Torch (1W, 120Lm)	

[illegible]



Air Locker manufactures professional grade quality Pneumatic Nailers and Staplers and is dedicated to serve the STAFDA distributors, industrial hardware stores, construction supply houses and tool stores with quality and value.

We strive to:

- ✓ Become our customer's first choice for quality products by meeting or exceeding their expectations.
- ✓ Presenting exceptional product value by offering quality products, fair pricing, superb fill rates, on-time delivery while providing the best customer services and constantly improving product quality.
- ✓ Operate with integrity to achieve our mission in an ethical manner while continually improving our performance.



a subsidiary of

American General Tool Group

929 Poinsettia Avenue, Suite 101-Vista, CA 92081

Phone Number: (760) 745-7993

Toll Free: (888) 455-8665

Fax Number: (760) 480-0411

info@airlockernailers.com

